



Plant Recommendations for Monarch Butterflies

Southern Plains: Kansas, Oklahoma and Texas

NRCS is working with agricultural producers to combat the decline of monarch butterflies by planting milkweed and other nectar-rich wildflowers on private lands. The agency collaborated with the Xerces Society to reach out to biologists across the country to recommend the best plant species for conservation practices based on literature and personal observations. Biologists were represented from the Oklahoma State University, Austin Butterfly Forum and Texas Discovery Gardens at Fair Park.

For the monarch-friendly conservation plantings the NRCS is helping landowners to implement, agency biologists recommend that 50 to 75 percent of plants come from this list with at least 3 percent of the plantings consisting of milkweed species. Milkweed is the only larval food source for the monarch butterfly. In the Southern Plains, milkweed species vary by soil type. The deep clay soils in the blackland prairie

support **green milkweed** (*Asclepias viridis*) while **antelope horns milkweed** (*Asclepias asperula*) is more common on thinner limestone and caliche soils. **Side-cluster milkweed** (*Asclepias oenotheroides*) thrives in disturbed areas with thin soil and low vegetation across the region.

Plant species which were reported to be of superlative use to the monarch were rated as "Very High" value, as were plants mentioned in multiple sources as providing nectar to monarchs. Other plant species which were also cited as attractive to monarchs but with less frequency were given the rating of "High" value.

| Southern Plains Region: TX, OK, KS | | | | Bloom (x), Monarch Presence (orange) | | | | | | | | | | Commercially available | |
|------------------------------------|---|---------------------------|--------------|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-------|------------------------|--|
| Monarch Value | Species name | Common name | Growth Habit | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Seeds | Live Plants | |
| Very High | <i>Solidago nemoralis</i> | gray goldenrod | forb/herb | | | x | x | x | x | x | x | | x | x | |
| Very High | <i>Conoclinium coelestinum</i> | blue mistflower | forb/herb | | | | x | x | x | x | x | | x | x | |
| Very High | <i>Helianthus maximiliani</i> | Maximilian sunflower | forb/herb | | | | | x | x | x | x | | x | x | |
| Very High | <i>Liatris punctata</i> | dotted blazing star | forb/herb | | | | | x | x | x | | | x | x | |
| Very High | <i>Verbesina encelioides</i> | golden crownbeard | forb/herb | | x | x | x | x | x | x | x | | x | | |
| Very High | <i>Verbesina virginica</i> | white crownbeard | forb/herb | | | | | x | x | x | x | | x | | |
| High | <i>Glandularia bipinnatifida</i> | Dakota mock vervain | forb/herb | x | x | x | x | x | x | x | x | | x | x | |
| High | <i>Conoclinium betonicifolium</i> | betonyleaf thoroughwort | forb/herb | x | x | x | x | x | x | | | | | x | |
| High | <i>Lantana urticoides</i> | West Indian shrub verbena | shrub | | x | x | x | x | x | x | x | x | x | x | |
| High | <i>Helenium amarum</i> | sneezeweed | forb/herb | | x | x | x | x | x | x | | | x | x | |
| High | <i>Asclepias tuberosa</i> | butterfly milkweed | forb/herb | | | x | x | x | x | x | x | | x | x | |
| High | <i>Eryngium yuccifolium</i> | button eryngo | forb/herb | | | x | x | x | x | | | | x | x | |
| High | <i>Echinacea angustifolia</i> | blacksamson echinacea | forb/herb | | | x | x | x | | | | | x | x | |
| High | <i>Cephalanthus occidentalis</i> | common buttonbush | shrub/tree | | | | x | x | x | x | x | | x | x | |
| High | <i>Dalea purpurea</i> | purple prairie clover | forb/herb | | | | x | x | x | x | | | x | x | |
| High | <i>Vernonia baldwinii</i> | Baldwin's ironweed | forb/herb | | | | x | x | x | x | x | x | x | | |
| High | <i>Salvia azurea</i> var. <i>azurea</i> | asure blue sage | forb/herb | | | x | x | x | x | x | x | | x | x | |
| High | <i>Helianthus annuus</i> | common sunflower | forb/herb | | | | x | x | x | x | x | | x | x | |
| High | <i>Silphium laciniatum</i> | compassplant | forb/herb | | | | x | x | x | | | | x | x | |
| High | <i>Symphyotrichum ericoides</i> var. <i>ericoides</i> | white heath aster | forb/herb | | | | | x | x | x | x | x | x | x | |
| High | <i>Salvia azurea</i> | azure blue sage | forb/herb | | | | | x | x | x | x | x | x | x | |

Unavailable/Difficult to Find

| | | | | | | | | | | | | | | |
|-----------|-----------------------------|----------------------------|--------------------|---|---|---|---|---|---|---|---|---|---|---|
| Very High | <i>Asclepias viridis</i> * | green antelopehorn | forb/herb | | x | x | x | x | x | x | x | | x | x |
| Very High | <i>Bidens aristosa</i> | bearded beggarticks | forb/herb | | | | x | x | | | | | x | |
| Very High | <i>Baccharis neglecta</i> | Rooseveltweed | shrub | | | | | x | x | x | | | | |
| Very High | <i>Grindelia papposa</i> | Spanish gold | forb/herb | | | | | x | x | | | | | |
| Very High | <i>Eupatorium serotinum</i> | lateflowering thoroughwort | forb/herb | | | | | x | x | x | x | x | x | |
| Very High | <i>Ageratina havanensis</i> | Havana snakeroot | shrub | | | | | x | x | x | x | x | | x |
| High | <i>Conoclinium greggii</i> | palmleaf thoroughwort | forb/herb | x | x | x | x | x | x | x | x | x | | x |
| High | <i>Verbena halei</i> | Texas vervain | forb/herb/subshrub | x | x | x | x | | | | | | | |
| High | <i>Packera obovata</i> | roundleaf ragwort | forb/herb | x | x | x | x | | | | | | | x |

Note on the background shading: **white** – very high value and readily available as both seeds and plants except for the plant listed under the unavailable/difficult to find
light green – very high value and less available
medium green – high value and readily available as both seeds and plants

| Southern Plains Region: TX, OK, KS | | | | Bloom (x), Monarch Presence (orange) | | | | | | | | | | Commercially available? | |
|------------------------------------|----------------------------------|------------------------------|--------------------|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------------------------|--|
| Monarch Value | Species name | Common name | Growth Habit | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Seeds | Live Plants | |
| High | <i>Polygonum pensylvanicum</i> | Pennsylvania smartweed | forb/herb | x | x | x | | | | | | | x | | |
| High | <i>Castilleja indivisa</i> | entireleaf Indian paintbrush | forb/herb | x | x | x | | | | | | | x | | |
| High | <i>Funastrum cynanchoides</i> | finged twinevine | forb/herb/vine | | x | x | x | x | x | | | | | x | |
| High | <i>Centaurea americana</i> | American star-thistle | forb/herb | | | x | x | | | | | | x | | |
| High | <i>Dalea multiflora</i> | roundhead prairie clover | forb/herb/subshrub | | | | x | x | | | | | x | | |
| High | <i>Onosmodium bejariense</i> | soft-hair marbleseed | forb/herb | | | | x | x | | | | | | | |
| High | <i>Silphium radula</i> | roughstem rosinweed | forb/herb | | | | x | x | x | | | | | | |
| High | <i>Cunila origanoides</i> | common dittany | forb/herb/subshrub | | | | | x | x | x | | | x | x | |
| High | <i>Eryngium leavenworthii</i> | Leavenworth's eryngo | forb/herb | | | | | x | x | x | | | | | |
| High | <i>Oligoneuron nitidum</i> | shiny goldenrod | forb/herb | | | | x | x | x | | | | | x | |
| High | <i>Helianthus grosseserratus</i> | sawtooth sunflower | forb/herb | | | | | x | x | x | x | | x | | |
| High | <i>Liatris elegans</i> | pinkscale blazing star | forb/herb | | | | | x | x | x | | | x | | |
| High | <i>Solidago petiolaris</i> | downy ragged goldenrod | forb/herb | | | | | x | x | x | | | x | | |
| High | <i>Symphytum anomalum</i> | manyray aster | forb/herb | | | | | x | x | x | | | | | |
| High | <i>Symphytum praealtum</i> | willowleaf aster | forb/herb | | | | | | x | x | | | | | |
| High | <i>Solidago rugosa</i> | wrinkleleaf goldenrod | forb/herb | | | | | | x | | | | | x | |

USDA, NRCS. 2015. The PLANTS Database (<http://plants.usda.gov>, 1 June 2015). National Plant Data Team, Greensboro, NC 27401-4901 USA.

Acknowledgements:

NRCS and Xerces Society pollinator conservation experts worked with the following biologists to compile this list of recommended plant species: **Kristen Baum** and **Shaun McCoshum**, Oklahoma State University; **Carol Clark; Kip Kiphart; Mike Quinn**, Austin Butterfly Forum; **Roger Sanderson**, Texas Discovery Gardens at Fair Park; and **Anne Stine**, Xerces Society.

Cover Photo:

Gene Barickman, NRCS.

References:

Brower, L; Fink, L; Kiphart, R; Pocius, V; Zubierta, R; Ramirez, M. 2012. "Chapter 10: Effects of 2010-2011 drought on lipid content of monarchs migrating through Texas to Mexico" in Oberhauser, K. S., Nail, K. R., & Altizer, S. (Eds.). (2015). *Monarchs in a Changing World: Biology and Conservation of an Iconic Butterfly*. Cornell University Press.

Brower, L.; Pyle, R. 2004. The interchange of migratory monarchs between Mexico and the Western United States, and the Importance of Floral Corridors to the Fall and Spring Migrations. In: Nabhan G, editor. *Conservation of migratory pollinators and their nectar corridors in North America*. Tucson (AZ): University of Arizona Press. Arizona-Sonora Desert Museum, Natural History of the Sonoran Desert Region No. 2. p. 144–166.

Rudolph, DC; Ely, CA; Schaefer, RR; Williamson, H; Thill, RE. (2006). Monarch (*Danaus plexippus* L. NYMPHALIDAE) migration, nectar resources, and fire regimes in the Ouachita Mountains of Arkansas. *Journal of the Lepidopterists' Society*, 60(3), 165-170.



nrcs.usda.gov/monarchs

USDA is an equal opportunity provider and employer.